

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Activoil


Spray Adjuvant



Active Constituent: 704g/L Methyl and Ethyl Esters of Free Fatty Acids derived from Refined Canola Oil.

A biodegradable penetrator adjuvant,
to enhance the effectiveness of certain
herbicides.

20 LITRES



DIRECTIONS FOR USE (ALL STATES)

Situation	Application Rate Rate/100L	Critical comments
Post emergent Herbicides	0.3 - 1.0 litres	ACTIVOIL may be used in place of non-ionic surfactants or crop oils. Subject to spray volumes, usage rates may vary between 0.2 - 2.0 Litres of ACTIVOIL per Hectare.

NOT TO BE USED FOR ANY PURPOSE OTHER THAN INDICATED ON THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

ACTIVOIL is a highly penetrating spray adjuvant suitable for use with certain post emergent herbicides. It improves the herbicide performance by utilising the excellent penetration effect of esterified vegetable oils in combination with the wetting and spreading characteristics of non-ionic surfactants.

HERBICIDE SPRAYS

ACTIVOIL can be added to certain post emergent herbicides to increase their efficiency. In some situations ACTIVOIL may reduce selectivity. Care must be exercised when applying ACTIVOIL with post emergent herbicides on sensitive crops under conditions where plants are subject to drought stress, high temperatures, and high humidity. If in doubt it is a sensible precaution to trial by application to a small area before committing to large scale application.

PRECAUTION

Read all directions for use on the ACTIVOIL label and on herbicide label. The herbicide manufacturers directions and recommendations always take precedence over directions contained on this label.

MIXING

Follow directions on herbicide label. Half fill spray tank with water and add required amount of herbicide with agitation. Top up tank with water followed by addition of required amount of ACTIVOIL and continue agitation while spraying.

NRA APPROVAL NO: 51663/0299

Batch No:

Date of Manufacture



SST Australia Pty Ltd
ACN 052 845 833
4/97 Bayfield Road East,
Bayswater, VIC 3153
Phone: (03) 9720 6306

IN AN EMERGENCY
DIAL 000
POLICE OR
FIRE BRIGADE



PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used container.

STORAGE AND DISPOSAL

Keep out of reach of children.

Store in closed, original container in a well ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Under conditions below 0°C ACTIVOIL may thicken and become cloudy. It returns to a normal clear liquid state above 0°C.

Triple or, preferably, pressure rinse containers before disposal. Add rinsings to spray tank or knapsack mix. Do not dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

May irritate skin. Avoid contact with skin or eyes. Avoid inhaling vapour or spray mist. When opening the container and preparing the spray, wear overalls, rubber gloves and goggles or disposable face shield. After each days use wash contaminated clothing, gloves and face shield or goggles with soap and water.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Ph 13 11 26). If in eyes, hold eyes open and flood with water for at least 15 minutes and see a doctor. Additional information is listed in the Material Safety Data Sheet.

HAZARD & PRECAUTIONARY STATEMENTS

Causes serious eye irritation. Wash contaminated skin thoroughly after handling.

1000 LITRES

200 LITRES

110 LITRES