

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



OxiWet

WETTING AGENT

ACTIVE CONSTITUENT: 1000 g/l Polyoxyethylene Sorbitan Monolaurate

**A nonionic wetting agent
for use with
Fruit Thinning sprays**

SST PRODUCTS Pty Ltd
ACN 086 385 917
345 Clarendon Street, South Melbourne
Victoria 3205. Telephone: (03) 9551 8772

20 LITRES

Directions for use (All States)

| Situation | Application Rate/100L | Critical comments |
|--|-----------------------|---|
| Horticulture Fruit thinning sprays. | 125mL | When using NAA or Ethrel SST Products OxiWet assists spreading and coverage of thinning sprays. |
| General use. | 100mL-150mL | |

**NOT TO BE USED FOR ANY PURPOSE OTHER THAN INDICATED ON THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

GENERAL INSTRUCTIONS

SST PRODUCTS **OxiWet** is a nonionic wetting agent for use with fruit thinning sprays. SST PRODUCTS **OxiWet** assists the wetting and coverage of the thinning agent to achieve more effective and consistent performance from the thinning spray. SST PRODUCTS **OxiWet** is safe to use as directed and is not phytotoxic to crops.

MIXING

Add SST PRODUCTS **OxiWet** to spray tank after thinning agent is thoroughly mixed.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, river or waterways with the chemical or used container.

STORAGE AND DISPOSAL

Keep out of reach of children.

Store in closed, original container in a well ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Triple or, preferably, pressure rinse containers before disposal. Add rinsings to spray tank or knapsack mix. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

Batch No.:

Date of Manufacture:

SAFETY DIRECTIONS

Avoid contact with eyes or skin. When opening the container and preparing the spray, wear face shield or goggles, rubber gloves and overalls. Wash hands after use. After each day's use, wash face shield or goggles.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Ph 13 11 26). If in eyes, hold eyes open and flood with water for at least 15 minutes and see a doctor. Additional information is listed in the Material Safety Data Sheet.

CONDITION OF SALE

The use of SST PRODUCTS **OxiWet** being beyond the control of the manufacturer, no warranty expressed or implied is given by SST PRODUCTS PTY LTD regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and SST PRODUCTS PTY LTD accepts no responsibility for any consequences whatsoever resulting from the use of this products.

**IN AN EMERGENCY
DIAL 000
POLICE OR
FIRE BRIGADE**



SST PRODUCTS Pty Ltd

ACN 086 385 917

345 Clarendon Street, South Melbourne
Victoria 3205. Telephone: (03) 9551 8772