

SPRAY GRADE AMMONIUM SULPHATE

Herbicide Adjuvant

DIRECTIONS FOR USE:

SITUATION	RATE	CRITICAL COMMENTS
1. Minimise antagonism to tank mixes with flowable herbicides.	800 g/100 L of spray solution.	Half fill spray tank with clean water and start agitation. Add SST Spray Grade Ammonium Sulphate Herbicide Adjuvant granules to spray tank.
2. Improve performance under adverse environmental conditions.		With agitation still running, add the required flowable herbicide to the tank and mix thoroughly. Add the required amount of Glyphosate based product and the remaining water; mix thoroughly. Add surfactant, if required, near the end of the filling process to minimise foaming. Always maintain adequate agitation during application and use the tank mix promptly.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

SST Spray Grade Ammonium Sulphate Herbicide Adjuvant should be used with non selective herbicides only, as with some selective herbicides use may result in loss of selectivity and therefore crop damage. Ammonium Sulphate may be corrosive to metal parts of the sprayer. Thoroughly flush tanks, pumps and nozzles with water after use.

Note: This product can readily absorb moisture and may be prone to caking. Moisture may be absorbed either through seepage through the packaging material or by direct exposure to moisture. It is recommended this product should always be stored in a dry place. Product affected by moisture may be difficult to handle as it will no longer be free flowing. It may also be difficult to dissolve in the tank and nozzle blockage may occur.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN.

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Single-rinse or shake remainder into spray tank. Do not dispose of undiluted chemicals on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS:

Avoid contact with eyes and skin.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Ph 13 11 26). If in eyes, hold eyes open and flood with water for at least 15 minutes and see a doctor. Additional information is listed in the Safety Data Sheet.

SST Australia Pty Ltd

70 Quantum Close,
Dandenong South VIC 3175
Ph: 03 9720 6306
Web: www.sstaustralia.com

APVMA Approved 87055/117450

**IN TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE**

Batch No:

Date of Manufacture:

25 Kg Net

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Spray Grade Ammonium Sulphate

HERBICIDE ADJUVANT

ACTIVE CONSTITUENT: 980g/kg AMMONIUM SULPHATE

SST Spray Grade Ammonium Sulphate Herbicide Adjuvant is used with glyphosate based herbicide to minimise antagonism when tank mixing with flowable herbicides, and to improve performance under adverse environmental conditions.

25kg

